


- Switching
- WiFi
- Camera Security
- Door Access
- CloudKeys & Gateways
- Power Tech
- New Int

All > [CloudKey+](#)

Datasheet

Marketing Images

Installation Guide



*CloudKey+ only supports drives that can operate on 5V power.
**Rack Mount and Stand accessories sold separately.

Mechanical

Dimensions 131.2 x 27.1 x 134.2 mm (5.2 x 1.1 x 5.3")

Weight 560 g (1.2 lb)

Enclosure material Anodized aluminum

Hardware

Processor Octa-core Arm® Cortex®-A53 based chip

Management interface Ethernet
Bluetooth

Networking interface (1) GbE RJ45 port

Memory 32 GB eMMC
3 GB RAM

SSD capacity 1 TB 2.5" SATA SSD (user-upgradeable*)
*CloudKey+ only supports drives that can operate on 5V power. Drives that require additional power are not supported.

Power method PoE
Quick charge 2.0/3.0 power adapter, 9V DC, 2A

Max. power consumption 9.6W

Display 1.42" gray-scale OLED

LEDs (1) Power: white/blue

Buttons (1) Power
(1) Factory reset

Ambient operating temperature 0 to 35° C (32 to 104° F)

Ambient operating humidity 20 to 80% noncondensing

Certifications FCC, CE, IC

Capacity

HD cameras	24
2K cameras	14
4K cameras	8

Assumes the UCK-G2-SSD is dedicated to UniFi Protect only. If it's also running UniFi Network, your maximum camera limit will be lower.

Stay in Touch

[Terms of Service](#) | [Privacy Policy](#) | [Legal](#) | [Cookies Settings](#)

© 2024 Ubiquiti, Inc. All rights reserved.